







AMES

AMES
Since
1774



CATALOG NO. 8
STEEL GOODS
AUGUST, 1956



Tool Merchandiser

This compact all-new rolling tool rack doubles as a portable floor display and a hard-working self-selling tool merchandiser. Holding up to five dozen tools for real self-service, the entire unit occupies only seven square feet. The merchandiser will permit heavy sales without the necessity of frequent stocking during busy store hours.

Unlike ordinary metal displays which are unwieldy and heavy, the new Ames merchandiser is scientifically designed to incorporate strength with light weight and attractive appearance. It is strong enough to hold five dozen tools plus a two-hundred pound man and still roll easily on jumbo 3" casters.

As an attractive and modern display for your stock of Ames tools, this unit will keep sales moving at a profitable pace and can be used inside or outside your store. Ask your distributor for additional details.

SPECIFICATIONS

Size Height 45", Length 39", Width 28".


Color Blue and silver. Double-faced sign is also blue and silver and measures 8" x 30".

Material . . . 1 5/8" tubing, heavy gauge wire, four 3" heavy duty top bearing casters.

Carton Size .26" x 12" x 39".

Shipping weight — 40 Lbs.

Model ATM



AMES HAND TOOLS

New rotating hand tool rack


The new Ames Rotating Hand Tool Rack packs a lot of punch into one compact light weight unit, holding as many as 42 Ames Hand Tools. The Rotating Rack doubles as a convincing display and easy to use merchandiser. The colorful silver and blue rack is all metal construction with built in balance for easy rotation. It is easy to assemble and occupies an area only 16¼ inches in diameter and is 23 inches high.

Catalog No. ARTD includes this new Rotating Ames Hand Tool Rack and 36 finest quality Ames Hand Tools. See the price sheet for the low cost on this complete unit.



TOOL ASSORTMENT AND RACK

CATALOG NO.	DESCRIPTION	QUANTITY	CATALOG NO.	DESCRIPTION	QUANTITY
AT	Regular Trowel	8	ALW	Lawn Weeder	3
ATT	Transplanting Trowel	6	AH2	Cultivator Hoe	3
ASF	Spading Fork	5	AWH	Weeding Hoe	3
AC3	Cultivator	5	AR5	Hand Rake	3
		24			12
					TOTAL: 36 Tools



AT—Regular Trowel: Blade 6" long, 3⅝" wide at top tapering to point. Handle shaped for firm and comfortable grip, 4¼" long. One-half dozen in carton. Shipping weight 6 lbs. per dozen.



AC-3—Cultivator: Strong construction. Shank and tines are one piece. 3⅝" tine spread. Handle 12" long. One-half dozen in carton. Shipping weight 7 lbs. per dozen.



AWH—Weeding Hoe: Warren Hoe blade and tine is solid piece of steel. 2¾" wide and 5¾" long. Handle 12" long. One-half dozen in carton. Shipping weight 6 lbs. per dozen.



ATT—Transplanting Trowel: Blade 6" long, 2⅝" wide. Handle shaped for firm and comfortable grip, 4¼" long. One-half dozen in carton. Shipping weight 5 lbs. per dozen.



ALW—Lawn Weeder: One piece, heat treated steel, forged with V notch blade. 1" wide. Handle 4¼" long. One-half dozen in carton. Shipping weight 5 lbs. per dozen.



AR-5—Hand Rake: Strong one piece construction. Head 3⅝" wide. Teeth 2⅝" long. Handle 12" long. One-half dozen in carton. Shipping weight 6 lbs. per dozen.



ASF—Spading Fork: Uniformly pointed flat tines. Shank and head a continuous unit. 3" wide at points. Handle 4¼" long. One-half dozen in carton. Shipping weight 6 lbs. per dozen.



AH-2—Cultivator Hoe: Blade and tines are solid piece of steel. 2½" wide and 5¾" long. Handle 12" long. One-half dozen in carton. Shipping weight 6 lbs. per dozen.



AMES

RACK N' ROLL



The Rack N' Roll all-metal cart is a handy aid for busy home gardeners. It is convenient for carrying tools, seeds and other gardening equipment right out to the job in one easy trip. Tools can be stored in the cart and rolled right into a corner.

The Rack N' Roll also doubles as a tool display in your store. It can be rolled anywhere easily and quickly, and it sells itself while it is selling tools for you.

SPECIFICATIONS

SIZE	Height 42", Width 22", Depth 16". Will hold 21 Ames garden or floral tools and numerous hand tools. Also has extra shelves for gloves, seeds, etc.
COLOR	Blue and silver. Silver body, blue wheels, blue and silver identification sign.
MATERIAL	All metal body. Rubber-tired wheels.
SHIPPING WEIGHT	24 pounds.
CARTON SIZE	Height 39", Width 18½", Depth 12½".



MODEL

ARR-21

AMES FORKS · HOES and RAKES

BRAND IDENTIFICATION

Ames, first in shovels throughout the world. The same high standard of engineering and manufacturing skill and know-how is incorporated in the production of Ames Forks, Hoes and Rakes. These products are built in two quality grades, Ames and Ram.

AMES FIRST QUALITY — represents the highest quality, finest craftsmanship and greatest value in garden and floral tools. Heads are forged from high carbon steel and carefully tempered for toughness and flexibility.

Handles are made from carefully selected Northern white ash and finished with Ames Burntcote.

Ames first quality is distinctive. Heads are royal blue, ferrules plated. The Ames brand is embossed on the handles in blue and silver. On the reverse side of the handle is embossed the Ames tool number and replacement handle number for the tool.

Ames Brand products are packed six tools to bundle excepting Hay, Header, Manure and Heavy Forks which are packed three tools per bundle. Handles are protected by individual paper tubes.

RAM SECOND QUALITY — represents an exceptional value in garden and floral tools in the medium price field. The same manufacturing know-how and years of tool making experience used in the manufacturing of all Ames products are incorporated in the Ram quality brand. Heads are forged from high carbon steel and tempered to insure maximum service.

Handles are made from Northern white ash, sanded, polished and finished with clear lacquer.


Ram quality finish is readily recognized. Heads are finished in gold, ferrules baked on red enamel. The Ram is embossed on the handle in red and gold. On the reverse side of the handle is embossed the tool number and replacement handle for the tool.

Ram Brand products are packed six tools to bundle excepting Hay and Manure Forks which are packed three tools per bundle. Handles are protected by individual paper tubes.

FEATURES

1. AMES BURNTCOTE standard on AMES quality.
2. Ferrules chrome finish on first quality.
3. AMES and RAM quality standard spading forks, and Ladies spading forks are precision forged.
4. AMES quality and RAM quality forged Bow Rakes.
5. AMES quality and RAM quality forged socket garden Hoes.
6. AMES, AMES RAM and AMES OWL Lawn Rakes.
7. Armor D Handles for AMES quality forks.
8. Embossed Labels in two colors.
9. AMES Display Racks.
10. Hand Tool Assortment and Tools.





AMES garden

Suburban Spades (RAMLITE BRAND)

Stock No.	Blade	Turned Step	Handle	Weight Per Doz.	Replacement Handles
912	5 1/2" x 12"		27" Armor D	54 lbs.	6A
Stock No.	Blade	Turned Step	Handle	Weight Per Doz.	Replacement Handles
914	5 1/2" x 14"		27" Armor D	56 lbs.	6A



912
914



AFGS



AFSD




AFS3 1/2

Floral Shovels (AMES QUALITY)

Socket Shank Pattern

Number	Blade	Handle	Wt. Dozen	Replacement Handles
AFGS	6" Wide, 9 1/2" Deep Tumbled Finish	3 1/2' Long	34-36 lbs.	F3 1/2
Number	Blade	Handle	Wt. Dozen	Replacement Handles
AFSD	6" Wide, 8 1/2" Deep 1/2 Polished Blades	30" Steel D	34 lbs.	F30
Number	Blade	Handle	Wt. Dozen	Replacement Handles
AFS3 1/2	6" Wide, 8 1/2" Deep 1/2 Polished Blades	3 1/2' Long	34 lbs.	F3 1/2

and floral tools




Ladies Spading Fork
(AMES QUALITY)

8 1/2" Angular Back Tines—
Tubular Ferrules

Number	Handle	Wt. Dozen
A4D	30" Steel D-Bent	24 lbs.
Replacement Handles ILT		

Number	Handle	Wt. Dozen
A4L	3 1/2' Long Handle	24 lbs.
Replacement Handles LLT		



Dandelion Weeder

(AMES QUALITY)

V-Shaped Forged Heads—Plain Ferrules
Long Shank Pattern


Number	Blades	Wt. Dozen	Replacement Handles
ADW	Blades 1 3/8" Wide, 2 5/8" Long		
Handle Dozen Handles			
3' Light Spring	12 lbs.	DP	
Blade is Curved for Correct Cutting Angle			



Floral Hoe
(AMES QUALITY)

Forged Steel Heads—Plain Ferrules

Number	Blade	Wt. Dozen	Replacement Handles
AFH5	5" Polished Blade 3 3/4" Deep		
Handle Wt. Dozen Handles			
4' Light Spring	21 lbs.	FP	




A3SC

**Speedy
Cultivators**

(AMES QUALITY)

Forged Sharp Pointed Tines
—Plain Ferrules

Number	Handle	Wt. Doz.	Replacement Handles
A3SC	Three Tines-Head 3 1/4" Wide		
Handle Wt. Doz. Handles			
4' Light Spring	20 lbs.	FP	



**A4SC
R4SC**

(AMES QUALITY)

Forged Sharp Pointed Tines
—Plain Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
A4SC	Four Tines-Head 5" Wide, space between Tines 1 1/8"		
Handle Wt. Dozen Handles			
4 1/3' Spring	20 lbs.	GHP 4 1/3	

(RAM QUALITY)

Number	Handle	Wt. Dozen	Replacement Handles
R4SC	Four Tines-Head 5" Wide, space between Tines 1 1/8"		
Handle Wt. Dozen Handles			
4 1/3' Spring	20 lbs.	GHP 4 1/3	



ATR8

Floral Rake
(AMES QUALITY)

Forged Steel Heads—Plain Ferrules

Number	Teeth	Wt. Dozen	Replacement Handles
ATR8	Eight Curved Teeth-Width of Head 8"		
Handle Wt. Dozen Handles			
4' Light Spring	18 lbs.	FP	



Garden and

Square Top Onion Hoe

(AMES QUALITY)

Polished Blades

Number	Pattern	Blade Width
ASTO	Shank	7"
	Blade Depth	Handle
	1 3/4"	4 1/3' Spring
	Wt. Dozen	Replacement
	19 lbs.	Handles
		OP4 1/3

ASTO

Forged Steel Weeding Hoe

(AMES QUALITY)

Forged From One Solid Piece of Steel—
Polished Blade—Plain Ferrules

Number
A1PF One Prong-Blade 3 1/2" Wide,
8 1/8" Overall

Handle Wt. Dozen
4 1/3' Spring 27 lbs.

Replacement Handles
FWP

A1PF

Steel Weeding Hoe

(RAM QUALITY)

Tumbled Finish—Plain Ferrules

Number
R1P One Prong-Forged Steel Shank-
Blade 3 1/2" x 9"

Handle Wt. Dozen
4 1/3' Spring 24 lbs.

Replacement
Handles
GHP4 1/3

R1P

AN2 1/2

Narrow Blade Nurseryman's Hoe

(AMES QUALITY)

Polished Blades

Number	Pattern
AN2 1/2	Shank
Blade Width	Blade Depth
2 1/2"	3 1/2"
Handle	Wt. Dozen
4' Light Spring	16 lbs.
Replacement Handles	
FP	

Forged Steel Weeding Hoe

(AMES QUALITY)

Forged From One Solid
Piece of Steel—Polished
Blade—Plain Ferrules

Number
A2PF Two Prong-Blade 3 3/8"
Wide, 8 1/4" Overall

Handle Wt. Dozen
4 1/3' Spring 26 lbs.

Replacement Handles
FWP

A2PF

Steel Weeding Hoe

(RAM QUALITY)

Tumbled Finish—
Plain Ferrules


Number
R2P Two Prong-Forged
Steel Shank-Blade
3 3/8" x 9"

Handle Wt. Dozen
4 1/3' Spring 22 lbs.

Replacement
Handles
GHP4 1/3

R2P

Floral Tools




Warren Hoe

(AMES QUALITY)

Polished Blades

Number	Pattern	Blade Width
AWS7	Socket	4 3/4"
Blade Depth		
6 5/8" Cutting Edge	Handle	
	4 1/3' Spring	
Wt. Dozen		
24 lbs.		
Replacement Handles		
GH4 1/3		

AWS7




Cultivator Weeding Hoe

(AMES QUALITY)

Forged Steel Blades—Plain Ferrules

Number	Blade	Wt. Dozen
ACWH	2" Wide, 4 1/2" Deep	
Handle		
4' Light Spring		
Wt. Dozen		
16 lbs.		
Replacement Handles		
FP		

ACWH



Turf Edger

(AMES QUALITY)

Forged Steel Heads

Number	Shank Pattern-Blades
AFTSH	9" Wide, 4 3/4" Deep
Replacement Handles	
TP4 1/2	

Number	Socket Pattern-Blades
AFTSO	9" Wide, 4 3/4" Deep

Handle	Wt. Dozen
4'	32 lbs.

Replacement Handles
T4

AFTSO

(Socket not illustrated)

AFTSH



AW7



Warren Hoe

(AMES QUALITY)

Polished Blades

Number	Pattern
AW7	Shank
Blade Width	
4 3/4"	
Blade Depth	
6 5/8" Cutting Edge	
Handle	
4 1/3' Spring	
Wt. Dozen	
23 lbs.	
Replacement Handles	
GHP4 1/2	

AG6 1/4



Field and Garden Hoe

(AMES QUALITY)

Polished Blades

Number	Pattern
AG6 1/4	Shank
Blade Width	
6 1/4"	
Blade Depth	
4 1/4"	
Handle	
4 1/3' Spring	
Wt. Dozen	
26 lbs.	
Replacement Handles	
GHP4 1/2	

AFTSHD




Turf Edger


(AMES QUALITY)

Forged Steel Heads

Number	Shank Pattern-Blades
AFTSHD	9" Wide, 4 3/4" Deep
Handle	
34" Steel D	
Wt. Dozen	
32 lbs.	
Replacement Handles	
TPD	



Lawn and



A22
A24

(AMES QUALITY)

Ames Lawn Rake

Flat Steel Teeth are properly spaced, shaped and dished for volume sweeping—made of the finest Spring Steel hardened and tempered—good for many years of service.

A corrugated spacing bar reinforced by a Wire Arch supplies rigidity and strength. Complete heads attractively finished in baked blue enamel.

Handle carefully selected 48" Hardwood. Burntcote Finish.

Rake heads are packed one-half dozen in triangular carton—Handles are one-half dozen to bundle.

No rake made is superior in ability to sweep clean and fast. Rigid and strong with balance and lightness.

Number	Teeth	Width
A22	22	20 1/4"
Length of Handle	Wt. Dozen	Replacement Handles
48"	30 lbs.	LR48

Number	Teeth	Width
A24	24	23"
Length of Handle	Wt. Dozen	Replacement Handles
48"	32 lbs.	LR48



R18

(RAM QUALITY)

Ram Lawn Rake

Flat flexible tempered spring steel teeth, shaped and dished for quick cleaning.

A corrugated retaining bar supplies proper rigidity to teeth. Complete head attractively finished in baked red enamel.

Handle 48" hardwood. Smoothly finished and lacquered.

Rake heads are packed 1 dozen in triangular carton—Handles are 1 dozen to bundle.

A sturdy light weight popular priced lawn rake. Designed to clean lawns speedily and thoroughly.

Number	Teeth	Width
R18	18	17 1/2"
Length of Handle	Wt. Dozen	Replacement Handles
48"	19 1/2 lbs.	LR48



O22

(OWL QUALITY)

Owl Lawn Rake

Unusual Value—8 1/2" Long Flat Teeth are made from Tempered Spring Steel correctly shaped and held solidly in place in a specially designed flat steel head. Head is die stamped to form an integral socket for the handle.


Head finished in green enamel.

Hardwood Handles are 48" long—smoothly finished and lacquered.

Heads packed 1 dozen in triangular carton—Handles 1 dozen to bundle.

Number	Teeth	Width
O22	22	19 3/4"
Length of Handle	Wt. Dozen	Replacement Handles
48"	24 lbs.	LR48

garden rakes



AFBR22

(AMES QUALITY)



Fan Shaped Broom Rake

Tines made of strong Special Spring Steel and Tempered. The flexible teeth are properly designed to rake up even the smallest leaf or twig without injury to grass roots. The frame and socket are rigidly built to brace the teeth and securely hold the handle.

Heads are attractively enameled green. Handles are selected hardwood, Burnt-cote Finish.

Rake Heads packed 1 dozen to carton
—Handles 1 dozen to bundle.

Number	Teeth	Length	Width
AFBR22	22	12"	19"
<i>Length of Handle</i>			
	42"	22 lbs.	Replacement Handles LR42

ALC18

ALC24

(AMES QUALITY)



Lawncomb Rake

Tines made of strong Special Steel and Tempered. The flexible teeth are properly designed to rake up even the smallest leaf or twig without injury to grass roots. The frame and socket are rigidly built to brace the teeth and securely hold the handle.

Heads are attractively enameled green. Handles are selected hardwood, Burnt-cote Finish.

Rake Heads packed 1/2 dozen to carton
—Handles 1/2 dozen to bundle.

Number	Teeth	Length	Width
ALC18	24	8"	18"
<i>Length of Handle</i>			
	52"	30 lbs.	Replacement Handles LC52
<i>Length of Handle</i>			
ALC24	24	9 1/2"	24"
	38 lbs.	Replacement Handles LC60	

A124

(AMES QUALITY)



Wire Lawn Rake

Heavy wire teeth inserted in steel head. Pressed steel socket riveted to head.

Heads are attractively enameled green. Handles are selected hardwood, Burnt-cote Finish.

Wire Lawn Rakes packed 1/2 dozen to bundle.

Number	Teeth	Width
A124	24	20 5/8"
<i>Length of Handle</i>		
5'	35 lbs.	Replacement Handles WRL



Garden and

LAWN AND GARDEN RAKES

ALDR



(AMES QUALITY)

Dandelion and Crab Grass Rake

26 Saw Teeth—Shank Riveted to Head

Number	Teeth	Width
ALDR	26 1 3/8" Long	15 1/4"
Handle	Wt. Dozen	Replacement
5'	38 lbs.	Handles DR

A14RB



(AMES AND RAM QUALITY)

Round Bow Garden Rake

(AMES QUALITY)

Curved Teeth—Plain Ferrules


Number	Teeth	Length	Thickness
A14RB	Fourteen	2 3/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14"	5'	38 lbs.	RP5

Number	Teeth	Length	Thickness
A16RB	Sixteen	2 5/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
16"	5'	40 lbs.	RP5

(RAM QUALITY)

Number	Teeth	Length	Thickness
R14RB	Fourteen	2 1/4"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14"	5'	36 lbs.	RP5

A14C



(AMES AND RAM
QUALITY)

Level Head Garden Rake

(AMES QUALITY)

Curved Teeth—Plain Ferrules

Number	Teeth	Length	Thickness
A14C	Fourteen	2 3/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14 3/4"	5'	33 lbs.	LP5

Number	Teeth	Length	Thickness
A16C	Sixteen	2 3/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
17"	5'	36 lbs.	LP5

Straight Teeth

Number	Teeth	Length	Thickness
A14L	Fourteen	2 5/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14 3/4"	5'	33 lbs.	LP5

Number	Teeth	Length	Thickness
A16L	Sixteen	2 3/8"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
17"	5'	36 lbs.	LP5

(RAM QUALITY)


Curved Teeth

Number	Teeth	Length	Thickness
R14C	Fourteen	2 1/4"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14"	5'	30 lbs.	LP5

Straight Teeth


Number	Teeth	Length	Thickness
R14L	Fourteen	2 1/4"	1/4"
Width	Wt.	Replacement	
of Head	Handle Dozen	Handles	
14"	5'	30 lbs.	LP5

Floral Tools



(AMES QUALITY)

ATLDA



(RAM QUALITY)

RTLD



Regular Four-Tine Spading Forks

Ames Quality—Heavy Pattern

Number	Handle	Wt. Dozen
ATHDA	30" Armor D-Bent	60 lbs.

Replacement Handles
AST

Number	Handle	Wt. Dozen
ATHD	30" Steel D-Bent	60 lbs.

Replacement Handles
IST

Number	Handle	Wt. Dozen
ATH3 1/2	3 1/2' Bent	60 lbs.

Replacement Handles
ST3 1/2

Ames Quality—Medium Pattern

Number	Handle	Wt. Dozen
ATLDA	30" Armor D-Bent	57 lbs.

Replacement Handles
AST

Number	Handle	Wt. Dozen
ATLD	30" Steel D-Bent	57 lbs.

Replacement Handles
IST

Number	Handle	Wt. Dozen
ATL3 1/2	3 1/2' Bent	57 lbs.

Replacement Handles
ST3 1/2

Ram Quality—Light Pattern

Number	Handle	Wt. Dozen	Replacement Handles
RTLD	30" Steel D-Bent	49 lbs.	IST

Number	Handle	Wt. Dozen	Replacement Handles
RTL3 1/2	3 1/2' Bent	49 lbs.	ST3 1/2

(AMES QUALITY)

AEDA



English Digging Fork

Square Tines 12" Long—Tubular
Ferrules—Front of Tines Polished

Number	Handle	Wt. Dozen
AEDA	30" Armor D-Bent	60 lbs.


Replacement Handles
XXAET

ASGW

Serrated Edges

APGW

Plain Blade



Ames Weed Whip

Serrated Edges

Serrated double edge blade, 9 1/2" long, 1 1/2" wide. Blade Heat Treated. Square Shank. Handle 21 1/2" with flat sides. Length overall 38 1/2". Weight 22 lbs. dozen. Blade is removable. Blade Silver and Shank Blue. Ferrule Plated. Handle—Burncote Finish. Handle designed with flat sides to fit user's hand. Balance result of correct bend.

Replacement Handles — GW

A1




Sod Lifters

(AMES QUALITY)

Forged From Solid Steel—18" Shank—
Equipped With 32" Armor D Handles
Tubular Ferrules

Number	Blades 7" Wide, 6" Deep, Handle 32" Armor D	Replacement Handles
A1		XXSLT
Wt. Dozen	58 lbs.	



Garden and


Shank Pattern Scuffle Hoe

(AMES QUALITY)

Bent Shank Pattern—Plain Ferrules

<i>Number</i>			
AX25	Blade 7 1/2" Wide, 4" Deep		
<i>Handle</i>	<i>Wt. Dozen</i>	<i>Replacement</i>	
5'	29 lbs.	Handles	
		SHP	

AX25




Riveted Shank Scuffle Hoe

(AMES QUALITY)

Both Edges of Blade Sharpened—
Plain Ferrules

<i>Number</i>			
AXGS5	Blades 8" Wide, 2 1/2" Deep		
<i>Handle</i>	<i>Wt. Dozen</i>	<i>Replacement</i>	
5'	31 lbs.	Handles	
		BSH	

AXGS5



AOGS



Orange Grove Scuffle Hoe

(AMES QUALITY)

Triangular Blade Riveted to 9" Shank—
Sharpened on All Three Edges

Plain Ferrules

<i>Number</i>			
AOGS	Blade 12" Wide, Depth thru Center 6"		
<i>Handle</i>	<i>Wt. Dozen</i>	<i>Replacement</i>	
5 1/2'	42 lbs.	Handles	
		OSH	

ARSCH



Shank Railroad Scuffle Hoe

(AMES QUALITY)

Blade and Shank Forged from One Solid
Piece of Steel—Plain Ferrules

<i>Number</i>			
ARSCH	Blade 8 1/2" Wide, 4" Deep		
<i>Handle</i>	<i>Wt. Dozen</i>	<i>Replacement</i>	
5'	40 lbs.	Handles	
		RSH	

AFSH



Floral or Garden Scuffle Hoe

(AMES QUALITY)

Sharpened all four sides—Plain Ferrules

<i>Number</i>		<i>Blade</i>	<i>Blade</i>
AFSH	Shank Pattern	Depth	Width
		1"	6 1/2"
<i>Handle</i>	<i>Wt. Dozen</i>	<i>Replacement</i>	
4' Spring	18 lbs.	Handles	
		FP	

Floral Tools




Solid Shank Scuffle Hoe

(AMES QUALITY)

Blade and Socket Forged
from One Solid Bar of Steel

Number	Blade	Wt. Dozen	Replacement Handles
407	8 1/2" Wide, 4" Deep	50 lbs.	SH
Handle	4 1/2'		

407



Adjustable Cultivators


(AMES QUALITY)

Prongs Forged from 3/8" Steel Bar—
Malleable Sockets

Number	Prongs	Wt. Dozen	Replacement Handles
A3PC	Three Detachable Prongs	19 lbs.	AC4
Handle	4' Light Spring		
A5PC	Five Detachable Prongs	32 lbs.	AC4 1/2
Handle	4 1/3' Spring		

A3PC

A5PC



427



Sidewalk Scraper

(AMES QUALITY)

Socket Pattern

Number	Blades	Wt. Dozen	Replacement Handles
427	7" x 6"	39 lbs.	No. S27
Handle	54"		

425



Sidewalk Scraper

(AMES QUALITY)

Shank Pattern—Plain Ferrule

Number	Blades	Wt. Dozen	Replacement Handles
425	7" x 5"	32 lbs.	No. S25
Handle	54"		

419



Sidewalk Scraper

(RAM QUALITY)

Shank Pattern—Plain Ferrule

Number	Blades	Wt. Dozen	Replacement Handles
419	7" x 5"	27 lbs.	No. S19
Handle	48"		

AMES AGRICULTURAL TOOLS

Steel Potato Hook

(AMES QUALITY)

Broad Oval Tines—Tumbled Finish—Plain Ferrules
Light Pattern

Number	Tines	Length of Tines
A4BOL	Four	6 3/4"
Approximate Width at Point	Handle	Wt. Dozen
6 1/4"	4 1/2'	28 lbs.
		Replacement Handles LP

Number	Tines	Length of Tines
A5BOL	Five	6 3/4"
Approximate Width at Point	Handle	Wt. Dozen
6 1/2"	4 1/2'	29 lbs.
		Replacement Handles LP

Number	Tines	Length of Tines
A4BOH	Four	7 1/2"
Approximate Width at Point	Handle	Wt. Dozen
7 1/2"	4 1/2'	48 lbs.
		Replacement Handles HP

Number	Tines	Length of Tines
A5BOH	Five	7 1/2"
Approximate Width at Point	Handle	Wt. Dozen
7 1/2"	4 1/2'	50 lbs.
		Replacement Handles HP

Steel Potato Hook

(AMES QUALITY)

Round Tines—Tumbled Finish—Plain Ferrules

Number	Tines	Length of Tines
A4BHR	Four	7"
Approximate Width at Point	Handle	Wt. Dozen
6"	4 1/3'	27 lbs.
		Replacement Handles GP

Number	Tines	Length of Tines
A5BHR	Five	7"
Approximate Width at Point	Handle	Wt. Dozen
6 1/2"	4 1/3'	28 lbs.
		Replacement Handles GP

Number	Tines	Length of Tines
A6BHR	Six	7"
Approximate Width at Point	Handle	Wt. Dozen
7"	4 1/3'	30 lbs.
		Replacement Handles GP

Washington County Pattern Potato Hook

(AMES QUALITY)

Diamond Faced Tines—Tumbled Finish—Plain Ferrules

Number	Tines	Length of Tines
A4SNW	Four	7"
Approximate Width at Point	Handle	Wt. Dozen
7 1/4"	4 1/3'	31 lbs.
		Replacement Handles GP

Steel Potato Hook

Goose Neck Pattern
(AMES QUALITY)

Round Tines—Tumbled Finish—Plain Ferrules

Number	Tines	Length of Tines
A4GN	Four	7"
Approximate Width at Point	Handle	Wt. Dozen
6"	4 1/3'	27 lbs.
		Replacement Handles GP

Number	Tines	Length of Tines
A5GN	Five	7"
Approximate Width at Point	Handle	Wt. Dozen
6 1/4"	4 1/3'	29 lbs.
		Replacement Handles GP

A4BOL

A5BHR

A4SNW

A5GN

Steel Manure Hook

(AMES QUALITY)

Oval Tines— $\frac{1}{2}$ Polished Finish—Plain Ferrules

Number	Tines	Length of Tines
AMH4	Four	$8\frac{3}{4}$ "
Approximate Width at Point	Handle	Wt. Dozen
$9\frac{1}{2}$ "	5'	40 lbs.
		Replacement Handles MHP

Number	Tines	Length of Tines
AMH5	Five	9"
Approximate Width at Point	Handle	Wt. Dozen
$9\frac{1}{2}$ "	5'	42 lbs.
		Replacement Handles MHP

Number	Tines	Length of Tines
AMH6	Six	$9\frac{1}{2}$ "
Approximate Width at Point	Handle	Wt. Dozen
$9\frac{1}{2}$ "	5'	44 lbs.
		Replacement Handles MHP

Quahaug Diggers

(AMES QUALITY)

Oval Tines—Enameled Finish—Plain Ferrules

Number	Tines	Length of Tines
A6BCHS	Six	$7\frac{1}{2}$ "
Approximate Width at Point	Handle	Wt. Dozen
7"	$4\frac{1}{3}$ ' Spring	30 lbs.
		Replacement Handles GP4 $\frac{1}{3}$

Clam Hook

(AMES QUALITY)

Broad Diamond Back Polished Tines—Plain Ferrules

Number	Tines	Length of Tines
ACL4	Four	7"
Approximate Width at Point	Handle	Wt. Dozen
$6\frac{1}{2}$ "	26"	25 lbs.
		Replacement Handles CHP

Ipswich Clam Hook

(AMES QUALITY)

Diamond Shaped Tines—Enameled Finish—Plain Ferrules


Number	Tines	Length of Tines
AHIP	Four	10"
Approximate Width at Point	Handle	Wt. Dozen
7"	16"	24 lbs.
		Replacement Handles ICHP

Providence Pattern Clam Hook

(AMES QUALITY)

Oval Shaped Polished Tines—Plain Ferrules

Number	Tines	Length of Tines
ACLPR	Six	7"
Approximate Width at Point	Handle	Wt. Dozen
$7\frac{1}{4}$ "	26"	25 lbs.
		Replacement Handles PCHP



AGRICULTURAL TOOLS

SHANK PATTERN

AG6 $\frac{1}{4}$

AGS7

SOCKET PATTERN

Regular Field and Garden Hoes

(AMES QUALITY)

Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
AG6 $\frac{1}{4}$	Shank	6 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GHP4 $\frac{1}{2}$
AG7	Shank	7"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	28 lbs.	GHP4 $\frac{1}{2}$
AG8	Shank	8"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	30 lbs.	GHP4 $\frac{1}{2}$
AGS6 $\frac{1}{4}$	Socket	6 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	25 lbs.	GH4 $\frac{1}{3}$
AGS7	Socket	7"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GH4 $\frac{1}{3}$
AGS8	Socket	8"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	29 lbs.	GH4 $\frac{1}{3}$

(RAM QUALITY)

$\frac{1}{3}$ Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RG6 $\frac{1}{4}$	Shank	6 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GHP4 $\frac{1}{3}$
RG7	Shank	7"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GHP4 $\frac{1}{3}$
RG8	Shank	8"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	28 lbs.	GHP4 $\frac{1}{3}$
RGS6 $\frac{1}{4}$	Socket	6 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GH4 $\frac{1}{3}$
RGS7	Socket	7"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GH4 $\frac{1}{3}$
RGS8	Socket	8"	4 $\frac{1}{4}$ "	4 $\frac{1}{3}$ ' Spring	28 lbs.	GH4 $\frac{1}{3}$

AN6

ANS7

Square Top Nurserymen's or Sugar Beet Hoes

(AMES QUALITY)


Cutting Edge and Sides Sharpened—Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ANS6	Socket	6"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	25 lbs.	GH4 $\frac{1}{3}$
ANS7	Socket	7"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GH4 $\frac{1}{3}$
ANS8	Socket	8"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GH4 $\frac{1}{3}$
AN6	Shank	6"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GHP4 $\frac{1}{2}$
AN7	Shank	7"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GHP4 $\frac{1}{2}$
AN8	Shank	8"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	28 lbs.	GHP4 $\frac{1}{2}$

(RAM QUALITY)

Cutting Edge and Sides Sharpened— $\frac{1}{3}$ Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RN6	Shank	6"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	25 lbs.	GHP4 $\frac{1}{3}$
RN7	Shank	7"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GHP4 $\frac{1}{3}$
RNS6	Socket	6"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	25 lbs.	GH4 $\frac{1}{3}$
RNS7	Socket	7"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	26 lbs.	GH4 $\frac{1}{3}$
RNS8	Socket	8"	3 $\frac{3}{8}$ "	4 $\frac{1}{3}$ ' Spring	27 lbs.	GH4 $\frac{1}{3}$



Short Handled Beet Thinning Hoes

(AMES QUALITY)

Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ABS6	Socket	6"	3 3/8"	Sq. Top 12"	16 lbs.	B12
ABS7	Socket	7"	3 3/8"	Sq. Top 12"	16 lbs.	B12
ABS8	Socket	8"	3 3/8"	Sq. Top 12"	17 lbs.	B12
AB5	Shank	5"	3 3/4"	Scal. Top 12"	15 lbs.	BP12
AB6 1/4	Socket	6 1/4"	4 1/4"	Scal. Top 12"	16 lbs.	B12
AB7	Socket	7"	4 1/4"	Scal. Top 12"	16 lbs.	B12

Square Top Beet Thinning Hoes Have Cutting Edges and Sides Sharpened
Scalloped Top Type Hoe Illustrated

Corn and Tobacco Hoe

(AMES QUALITY)

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ACTS8 1/2	Socket	8 1/2"	2 3/4"	4 1/3' Spring	27 lbs.	GH4 1/3
ACTS10	Socket	10"	2 3/4"	4 1/3' Spring	28 lbs.	GH4 1/3

New England Meadow Hoe

(AMES QUALITY)

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ANMS8	Socket	8"	3 1/2"	4 1/3' Spring	28 lbs.	GH4 1/3
ANMS9	Socket	9"	3 1/2"	4 1/3' Spring	29 lbs.	GH4 1/3

(RAM QUALITY)

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RNMS8	Socket	8"	3 1/2"	4 1/3' Spring	26 lbs.	GH4 1/3
RNMS9	Socket	9"	3 1/2"	4 1/3' Spring	27 lbs.	GH4 1/3

Cotton Chopper Hoe

(AMES QUALITY)

Shank Pattern—Shanks 1/2" Diameter—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ACC7	Shank	7"	4"	5'	36 lbs.	COP5
ACC8	Shank	8"	4"	5'	38 lbs.	COP5

(RAM QUALITY)

Shank Pattern—Shanks 1/2" Diameter—1/3 Polished Finish


Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RCC7	Shank	7"	4"	5'	36 lbs.	COP5
RCC8	Shank	8"	4"	5'	38 lbs.	COP5

Straight Shank, Straight Blade Cotton Hoe

(RAM QUALITY)

Shank Pattern—Shanks 1/2" Diameter—1/3 Polished Finish


Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RSC75	Shank	7"	5 1/4"	5'	36 lbs.	COP5




AB5




ACTS7



ANMS8



ACC7



RSC75

AGRICULTURAL TOOLS

Regular Goose Neck Cotton Hoes

(AMES QUALITY)

Shank Pattern—Shanks $\frac{1}{2}$ " Diameter—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
AC64 $\frac{1}{2}$	Shank	6"	5"	4 $\frac{1}{2}$ '	33 lbs.	COP4 $\frac{1}{2}$
AC65	Shank	6"	5"	5'	35 lbs.	COP5
AC75	Shank	7"	5"	5'	36 lbs.	COP5
AC85	Shank	8"	5"	5'	38 lbs.	COP5

(RAM QUALITY)

Shank Pattern—Shanks $\frac{1}{2}$ " Diameter— $\frac{1}{8}$ " Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RC64 $\frac{1}{2}$	Shank	6"	5"	4 $\frac{1}{2}$ '	33 lbs.	COP4 $\frac{1}{2}$
RC65	Shank	6"	5"	5'	35 lbs.	COP5
RC75	Shank	7"	5"	5'	36 lbs.	COP5
RC85	Shank	8"	5"	5'	38 lbs.	COP5



AC64 $\frac{1}{2}$

Light Goose Neck Cotton Hoes

(AMES QUALITY)


Shank Pattern—Shank $\frac{7}{16}$ " Diameter—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ALC64 $\frac{1}{2}$	Shank	6"	4 $\frac{3}{8}$ "	4 $\frac{1}{2}$ '	27 lbs.	LCP4 $\frac{1}{2}$
ALC65	Shank	6"	4 $\frac{3}{8}$ "	5'	28 lbs.	LCP5
ALC75	Shank	7"	4 $\frac{3}{4}$ "	5'	30 lbs.	LCP5

(RAM QUALITY)

Shank Pattern—Shank $\frac{7}{16}$ " Diameter— $\frac{1}{8}$ " Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RLC64 $\frac{1}{2}$	Shank	6"	4 $\frac{3}{8}$ "	4 $\frac{1}{2}$ '	27 lbs.	LCP4 $\frac{1}{2}$
RLC65	Shank	6"	4 $\frac{3}{8}$ "	5'	28 lbs.	LCP5
RLC75	Shank	7"	4 $\frac{3}{4}$ "	5'	30 lbs.	LCP5



ALC64 $\frac{1}{2}$

Light Goose Neck Cotton Hoes

Field Trim

(AMES QUALITY)


Shank Pattern—Shanks $\frac{1}{2}$ " Diameter—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ALC54 $\frac{1}{2}$ F	Shank	5"	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	24 lbs.	SMP4 $\frac{1}{2}$
ALC55F	Shank	5"	4 $\frac{1}{4}$ "	5'	26 lbs.	SMP5
ALC64 $\frac{1}{2}$ F	Shank	6"	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	27 lbs.	SMP4 $\frac{1}{2}$
ALC65F	Shank	6"	4 $\frac{1}{4}$ "	5'	29 lbs.	SMP5
ALC75F	Shank	7"	4 $\frac{1}{4}$ "	5'	31 lbs.	SMP5

(RAM QUALITY)

Shank Pattern—Shanks $\frac{1}{2}$ " Diameter— $\frac{1}{8}$ " Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RLC54 $\frac{1}{2}$ F	Shank	5"	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	24 lbs.	SMP4 $\frac{1}{2}$
RLC55F	Shank	5"	4 $\frac{1}{4}$ "	5'	26 lbs.	SMP5
RLC64 $\frac{1}{2}$ F	Shank	6"	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	27 lbs.	SMP4 $\frac{1}{2}$
RLC65F	Shank	6"	4 $\frac{1}{4}$ "	5'	29 lbs.	SMP5
RLC75F	Shank	7"	4 $\frac{1}{4}$ "	5'	31 lbs.	SMP5



ALC54 $\frac{1}{2}$ F

Straight Shank, Straight Blade Planters Hoes

(AMES QUALITY)


Shank Pattern—Shanks $\frac{3}{8}$ " Diameter—Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ASP85	Shank	8"	5 $\frac{3}{4}$ "	5'	43 lbs.	GNP5

(RAM QUALITY)

Shank Pattern—Shanks $\frac{3}{8}$ " Diameter— $\frac{1}{8}$ " Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RSP85	Shank	8"	5 $\frac{3}{4}$ "	5'	43 lbs.	GNP5



ASP85

HOES

Southern Meadow or Blackland Hoes

(AMES QUALITY)

Shank and Socket Pattern—Shanks $\frac{1}{2}$ " Diameter—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
ASM7	Shank	7"	3 $\frac{1}{2}$ "	5'	29 lbs.	SMP5
ASM8	Shank	8"	3 $\frac{1}{2}$ "	5'	30 lbs.	SMP5
ASM9	Shank	9"	3 $\frac{1}{2}$ "	5'	31 lbs.	SMP5
ASMS6	Socket	6"	3 $\frac{1}{2}$ "	5'	30 lbs.	SM5
ASMS7	Socket	7"	3 $\frac{1}{2}$ "	5'	31 lbs.	SM5
ASMS8	Socket	8"	3 $\frac{1}{2}$ "	5'	32 lbs.	SM5
ASMS9	Socket	9"	3 $\frac{1}{2}$ "	5'	33 lbs.	SM5
ASMS10	Socket	10"	3 $\frac{1}{2}$ "	5'	34 lbs.	SM5

(RAM QUALITY)

Shank and Socket Pattern—Shanks $\frac{1}{2}$ " Diameter— $\frac{1}{8}$ " Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RSM7	Shank	7"	3 $\frac{1}{2}$ "	5'	29 lbs.	SMP5
RSM8	Shank	8"	3 $\frac{1}{2}$ "	5'	30 lbs.	SMP5
RSM9	Shank	9"	3 $\frac{1}{2}$ "	5'	31 lbs.	SMP5
RSMS6	Socket	6"	3 $\frac{1}{2}$ "	5'	30 lbs.	SM5
RSMS7	Socket	7"	3 $\frac{1}{2}$ "	5'	31 lbs.	SM5
RSMS8	Socket	8"	3 $\frac{1}{2}$ "	5'	32 lbs.	SM5
RSMS9	Socket	9"	3 $\frac{1}{2}$ "	5'	33 lbs.	SM5
RSMS10	Socket	10"	3 $\frac{1}{2}$ "	5'	34 lbs.	SM5

Regular Goose Neck Planter Hoes

(AMES QUALITY)

Shank Pattern—Shanks $\frac{3}{8}$ " Diameter—Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
AP54 $\frac{1}{2}$	Shank	5"	5 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	35 lbs.	GNP4 $\frac{1}{2}$
AP55	Shank	5"	5 $\frac{1}{4}$ "	5'	37 lbs.	GNP5
AP64 $\frac{1}{2}$	Shank	6"	5 $\frac{1}{2}$ "	4 $\frac{1}{2}$ '	36 lbs.	GNP4 $\frac{1}{2}$
AP65	Shank	6"	5 $\frac{1}{2}$ "	5'	38 lbs.	GNP5
AP75	Shank	7"	5 $\frac{3}{4}$ "	5'	39 lbs.	GNP5

(RAM QUALITY)

Shank Pattern—Shank $\frac{3}{8}$ " Diameter— $\frac{1}{8}$ " Polished Blades

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
RP54 $\frac{1}{2}$	Shank	5"	5 $\frac{1}{4}$ "	4 $\frac{1}{2}$ '	35 lbs.	GNP4 $\frac{1}{2}$
RP55	Shank	5"	5 $\frac{1}{4}$ "	5'	37 lbs.	GNP5
RP64 $\frac{1}{2}$	Shank	6"	5 $\frac{1}{2}$ "	4 $\frac{1}{2}$ '	36 lbs.	GNP4 $\frac{1}{2}$
RP65	Shank	6"	5 $\frac{1}{2}$ "	5'	38 lbs.	GNP5
RP75	Shank	7"	5 $\frac{3}{4}$ "	5'	39 lbs.	GNP5

Mattock Hoes — Dig-ezy

(AMES QUALITY)

Oval Eye Pattern—Blade and Cutter Forged from One Solid Piece of Steel

Polished Bits

Number	Width of Blade	Depth of Head	Handle	Wt. Dozen	Replacement Handles
ADE3	3 $\frac{1}{2}$ " and 1 $\frac{3}{4}$ "	13 $\frac{3}{4}$ "	4 $\frac{1}{2}$ '	40 lbs.	XXDE

Southern Queen

(AMES QUALITY)

Forged from One Solid Piece of Steel—Round Eye Polished Bits

Number	Width of Blade	Depth of Head	Handle	Wt. Dozen	Replacement Handles
ASQ3 $\frac{1}{2}$	3 $\frac{1}{2}$ "	11 $\frac{1}{2}$ "	4 $\frac{1}{2}$ '	32 lbs.	XXSQ

ASM7

ASMS8


AP75

ADE3

ASQ3 $\frac{1}{2}$

AGRICULTURAL TOOLS

ABT34B



Hay Forks Boys' Three Tine

(AMES QUALITY)

10½" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
ABT34B	4' Bent	26 lbs.	BT4
ABT34½B	4½' Bent	28 lbs.	BT4½

Regular Three Tine

(AMES QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AHT34	4' Straight	33 lbs.	HT4
AHT34½	4½' Straight	35 lbs.	HT4½
AHT35	5' Straight	37 lbs.	HT5
AHT35½	5½' Straight	39 lbs.	HT5½
AHT36	6' Straight	41 lbs.	HT6
AHT33½B	3½' Bent	31 lbs.	HBT3½
AHT34B	4' Bent	33 lbs.	HBT4
AHT34½B	4½' Bent	35 lbs.	HBT4½
AHT35B	5' Bent	37 lbs.	HBT5
AHT35½B	5½' Bent	39 lbs.	HBT5½

(RAM QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
RHT35	5' Straight	35 lbs.	HT5
RHT35½	5½' Straight	37 lbs.	HT5½
RHT34B	4' Bent	31 lbs.	HBT4
RHT34½B	4½' Bent	33 lbs.	HBT4½
RHT35B	5' Bent	35 lbs.	HBT5

Regular Four-Tine Hay Forks

(AMES QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AHT44½	4½' Bent	36 lbs.	HBT4½
AHT45	5' Bent	38 lbs.	HBT5

Long Three-Tine Hay Forks

(AMES QUALITY)

Width at Points 8¾"—13" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AT133½B	3½' Bent	32 lbs.	HBT3½
AT134B	4' Bent	34 lbs.	HBT4
AT134½B	4½' Bent	36 lbs.	HBT4½
AT135B	5' Bent	38 lbs.	HBT5


Eight-Tine Chopped Hay Forks


(AMES QUALITY)

19" Oval Tines—Width at Point 19"—Tubular Ferrules

Number	Handle	Space Between Tines	Wt. Dozen	Replacement Handles
ACH8D	36" Armor D	2¾"	78 lbs.	XXHAT36

ACH8D





Three-Tine Marsh Hay or Header Forks Not Illustrated

(AMES QUALITY)

15" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AET3154 1/2	4 1/2' Bent	35 lbs.	MT4 1/2
AET3155	5' Bent	37 lbs.	MT5
AET3155 1/2	5 1/2' Bent	39 lbs.	MT5 1/2

Round Shoulder Four-Tine Header Forks

(AMES QUALITY)

15" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AET4154	4' Bent	42 lbs.	MT4
AET4154 1/2	4 1/2' Bent	44 lbs.	MT4 1/2
AET4155	5' Bent	46 lbs.	MT5
AET4155 1/2	5 1/2' Bent	48 lbs.	MT5 1/2

Kansas Four-Tine Deep Dish Header Forks

(AMES QUALITY)

15" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AKT154	4' Bent	43 lbs.	MT4
AKT154 1/2	4 1/2' Bent	45 lbs.	MT4 1/2
AKT155	5' Bent	47 lbs.	MT5

Dakota Four-Tine Grain or Header Forks

(AMES QUALITY)

16" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
ADT164	4' Bent	44 lbs.	MT4
ADT164 1/2	4 1/2' Bent	46 lbs.	MT4 1/2
ADT165	5' Bent	48 lbs.	MT5
ADT165 1/2	5 1/2' Bent	50 lbs.	MT5 1/2

Four-Tine Steel Barley Forks

Without Bails and Braces


(AMES QUALITY)

18" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
ART4184	4' Bent	45 lbs.	MT4
ART4184 1/2	4 1/2' Bent	47 lbs.	MT4 1/2
ART4185	5' Bent	49 lbs.	MT5
ART418D	34" Armor D	47 lbs.	ABF

Five-Tine Steel Barley Forks


Number	Handle	Wt. Dozen	Replacement Handles
ART5184	4' Bent	52 lbs.	MT4
ART5184 1/2	4 1/2' Bent	54 lbs.	MT4 1/2
ART5185	5' Bent	56 lbs.	MT5
ART518D	34" Armor D	52 lbs.	ABF




AET4154



AKT154



ADT164



ART4184

AGRICULTURAL TOOLS



Four-Tine Alfalfa or Clover Forks

(AMES QUALITY)

13" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AAT134	4' Bent	36 lbs.	HBT4
AAT134½	4½' Bent	38 lbs.	HBT4½
AAT135	5' Bent	40 lbs.	HBT5

Bailing Press Forks

(AMES QUALITY)

7½" Oval Tines—Plain Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
A4BP	4' Straight	37 lbs.	BP4

Regular Four-Tine Manure Forks

(AMES QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AMT44	4' Bent	41 lbs.	MT4
AMT44½	4½' Bent	43 lbs.	MT4½
AMT4D	32" Armor D	41 lbs.	AMT

(RAM QUALITY)

11½" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
RMT44	4' Bent	38 lbs.	MT4
RMT44½	4½' Bent	40 lbs.	MT4½
RMT4D	32" Steel D	38 lbs.	IMT

Regular Five-Tine Manure Forks

(AMES QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AMT54	4' Bent	42 lbs.	MT4
AMT54½	4½' Bent	44 lbs.	MT4½
AMT5D	32" Armor D	42 lbs.	AMT

(RAM QUALITY)

11½" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
RMT54	4' Bent	41 lbs.	MT4
RMT54½	4½' Bent	43 lbs.	MT4½
RMT5D	32" Steel D	41 lbs.	IMT

Regular Six-Tine Manure Forks

(AMES QUALITY)

12" Oval Tines—Tubular Ferrules

Number	Handle	Wt. Dozen	Replacement Handles
AMT64	4' Bent	45 lbs.	MT4
AMT64½	4½' Bent	47 lbs.	MT4½
AMT6D	32" Armor D	45 lbs.	AMT

(RAM QUALITY)

11½" Oval Tines—Tubular Ferrules


Number	Handle	Wt. Dozen	Replacement Handles
RMT64	4' Bent	43 lbs.	MT4
RMT64½	4½' Bent	45 lbs.	MT4½
RMT6D	32" Steel D	43 lbs.	IMT

Acme Manure Forks


(AMES QUALITY)

12" Oval Tines—Tubular Ferrules


Number	Handle	Wt. Dozen	Replacement Handles
AAM44½	4½' Bent	41 lbs.	MT4½



AMES HEAVY STEEL GOODS



**Ames Weed Cutter
ASWC**
Serrated Edges



APWC
Plain Blade
(Not Illustrated)

Serrated Double Edge Blade . . . The two cutting sides are serrated. Forged from high carbon steel and carefully tempered. Length 14". Width 2 1/2", bolted to rigid and tempered bows. Handle—round with flat sides and attractively finished, 31" long, riveted to steel bows at an angle. Blade travels parallel to the ground. Overall Length 38". Weight per dozen 33 lbs. Packed 1/2 dozen in a carton.

Replacement Handles — WC



A9

Mortar Hoes
(AMES QUALITY)

Shank Pattern—Tubular Ferrules—Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
A9	Shank	9"	6"	5 1/2'	48 lbs.	XXMOP
A10	Shank	10"	6"	5 1/2'	49 lbs.	XXMOP



AM10

**Two-Hole Mortar
Mixer Hoes**
(AMES QUALITY)

Shank Pattern—Tubular Ferrules—
Polished Finish

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
AM9	Shank	9"	6"	5 1/2'	47 lbs.	XXMOP

Number	Pattern	Blade Width	Blade Depth	Handle	Wt. Dozen	Replacement Handles
AM10	Shank	10"	6"	5 1/2'	48 lbs.	XXMOP




AX14

**Extra Heavy
Steel Road Rakes**
(AMES QUALITY)

Straight Teeth—Plain Ferrules

Number	Teeth	Depth	Thickness	Width of Head	Handle	Wt. Dozen	Replacement Handles
AX14	Fourteen	3 1/2"	3/8"	15 1/2"	5 1/2'	51 lbs.	XXRRP

Number	Teeth	Depth	Thickness	Width of Head	Handle	Wt. Dozen	Replacement Handles
AX16	Sixteen	3 1/2"	3/8"	17 7/8"	5 1/2'	54 lbs.	XXRRP



AAR14

**Steel Asphalt
or Tar Rakes**
(AMES QUALITY)

Regular Drop Shank Pattern
18" x 3/4" x 1/2" Shanks—
Tubular Ferrules

Number	Teeth	Depth	Thickness	Width of Head	Handle	Wt. Dozen	Replacement Handles
AAR14	Fourteen	3 7/8"	1 1/2"	16 1/2"	5'	78 lbs.	XXRT

Number	Teeth	Depth	Thickness	Width of Head	Handle	Wt. Dozen	Replacement Handles
AAL14	Fourteen	3 1/2"	1 1/2"	15 1/2"	5'	71 lbs.	XXLT

HEAVY STEEL GOODS



AHM20

Heavy Mill, Manure, Street or Pulp Forks

(AMES QUALITY)

Diamond Tines—Natural Finish—
Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
AHM5	Five 14" Heavy	10 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
2"	65 lbs.	XXMAT

Number	Tines	Width at Center
AHM7	Five 16" Ex. Heavy	11 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
2 1/4"	70 lbs.	XXMAT

Oval Tines

Number	Tines	Width at Center
AHM20	Four 15" Heavy	11"
Space Between Tines	Wt. Dozen	Replacement Handles
3 1/8"	55 lbs.	XXMAT



A10V

Vegetable Scoop Forks

(AMES QUALITY)

Oval Flat Point Tines—Natural Finish—
Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A10V	Ten 15 1/2"	14"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	85 lbs.	XXHAT

Number	Tines	Width at Center
A12V	Twelve 16"	17 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	95 lbs.	XXHAT



A10EB

Ensilage or Barn Forks

(AMES QUALITY)

Oval Tines—Outside Tines Turned Up—
Natural Finish—Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A8EB	Eight 16"	13"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/2"	72 lbs.	XXEAT

Number	Tines	Width at Center
A10EB	Ten 16"	15 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/2"	78 lbs.	XXEAT

HEAVY STEEL GOODS

A7BS



Beet Scoop Forks (AMES QUALITY)

Round Ball Tipped Tines—
Natural Finish—Tubular Ferrules
32" Bent Armor D Handles

Number	Tines	Width at Center
A7BS	Seven 16 1/2"	13 3/4"
Space Between Tines	Wt. Dozen	Replacement Handles
2"	80 lbs.	XXBAT

A12CO



Cotton Seed Scoop Forks (AMES QUALITY)

Diamond Shaped Tines—Natural Finish
—Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A10CO	Ten 16"	14"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	84 lbs.	XXHAT
Number	Tines	Width at Center
A12CO	Twelve 16"	17 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	107 lbs.	XXHAT

A10S



Stone and Ballast Forks (AMES QUALITY)

Square Tines—Natural Finish—
Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A8S	Eight 13 1/2"	10 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/8"	83 lbs.	XXHAT
Number	Tines	Width at Center
A10S	Ten 14"	13"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/8"	97 lbs.	XXHAT
Number	Tines	Width at Center
A12S	Twelve 13 1/2"	11 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
3/4"	87 lbs.	XXHAT
Number	Tines	Width at Center
A14S	Fourteen 13 1/2"	12"
Space Between Tines	Wt. Dozen	Replacement Handles
5/8"	92 lbs.	XXHAT

HEAVY STEEL GOODS

A12K

Coke Forks (AMES QUALITY)

Diamond Shaped Tines—Natural Finish
—Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A10K	Ten 17"	15"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	96 lbs.	XXHAT

Number	Tines	Width at Center
A12K	Twelve 17"	18"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	107 lbs.	XXHAT

Number	Tines	Width at Center
A121K	Twelve 16"	16"
Space Between Tines	Wt. Dozen	Replacement Handles
1"	109 lbs.	XXHAT

Number	Tines	Width at Center
A14K	Fourteen 17"	20 1/4"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	122 lbs.	XXHAT

A12SCF

Coal Scoop Forks (AMES QUALITY)

Round Tines—Natural Finish—
Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A10SCF	Ten 15"	14"
Space Between Tines	Wt. Dozen	Replacement Handles
1 1/4"	83 lbs.	XXHAT

Number	Tines	Width at Center
A12SCF	Twelve 15"	13 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
7/8"	92 lbs.	XXHAT

Number	Tines	Width at Center
A14SCF	Fourteen 15"	14"
Space Between Tines	Wt. Dozen	Replacement Handles
3/4"	100 lbs.	XXHAT

A14AL


Coal Forks (AMES QUALITY)

Diamond Shaped Tines—Natural Finish
—Tubular Ferrules
30" Bent Armor D Handles

Number	Tines	Width at Center
A10AL	Ten 15"	11 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
7/8"	88 lbs.	XXHAT

Number	Tines	Width at Center
A12AL	Twelve 16"	16"
Space Between Tines	Wt. Dozen	Replacement Handles
1"	102 lbs.	XXHAT

Number	Tines	Width at Center
A14AL	Fourteen 16"	14 1/2"
Space Between Tines	Wt. Dozen	Replacement Handles
7/8"	103 lbs.	XXHAT



Stone Hooks (AMES QUALITY)

Tumbled Finish—Plain Ferrules

Number	Tines	Length of Tines	Approximate Width at Point	Handle	Wt. Dozen	Replacement Handles
ALSH4	Four Angular Back	9"	7 1/2"	5'	56 Lbs.	XXSHP

AMES


DISPLAY STAND

An "AMES" display stand is a great aid in merchandising AMES shovels and steel goods. Sturdily constructed of steel and equipped with ball bearing casters, it is durable, convenient and easy to move about.

It holds ten tools, each easily placed in position, assuring at all times a neat, attractive and orderly display. Beautifully finished in red and silver.

The AMES display stand is 22½" long, 20½" wide and 36½" high.

Shipping Weight 22 lbs.





The impressive length and depth of our shovel and steel goods experience is your guarantee that the Ames products you are selling cannot be exceeded in quality, workmanship and materials. It is also a further guarantee that you will be handling products tuned to the buying trends among your customers. Our long years of building and selling shovels and steel goods has brought a knowledge of the industry and the markets that is bound to prove profitable to you, our good customer.



INDEX

Hand Tool Assortment	Page 3
Rack N' Roll Cart	4
Tool Merchandiser	2

GARDEN AND FLORAL TOOLS

Cultivators, Adjustable	Page 15
Cultivators, Speedy	7
Dandelion Weeders	7
Forks, English Diggers	13
Forks, Ladies Spading	7
Forks, Spading	13
Hoes, Cultivator Weeding	9
Hoes, Floral	7
Hoes, Garden	9
Hoes, Nurserymen's-Narrow Blade	8
Hoes, Onion	8
Hoes, Scuffle	14-15
Hoes, Warren	9
Hoes, Weeding-One and Two Prong	8
Rakes, Dandelion	12
Rakes, Floral	7
Rakes, Garden	12
Rakes, Lawn	10-11
Shovels, Floral	6
Sidewalk Scrapers	15
Sod Lifters	13
Spades, Floral	6
Spades, Suburban	6
Turf Edgers	9
Weed Whips	13

AGRICULTURAL TOOLS

Forks, Alfalfa	Page 24
Forks, Bailing Press	24

Forks, Barley	Page 23
Forks, Clover	24
Forks, Hay	22
Forks, Header	23
Forks, Manure	24
Hoes, Beet Thinning	19
Hoes, Corn and Tobacco	19
Hoes, Cotton	19-20
Hoes, Cotton Chopper	19
Hoes, Field and Garden	18
Hoes, Mattock-Dig-Ezy	21
Hoes, Mattock-Southern Queen	21
Hoes, New England Meadow	19
Hoes, Nurserymen's or Sugar Beet	18
Hoes, Planters	20-21
Hoes, Southern Meadow or Blackland	21
Hooks, Clam	17
Hooks, Manure	17
Hooks, Potato	16
Hooks, Quohaug	17

HEAVY STEEL GOODS

Asphalt Rakes	Page 25
Forks, Beet	27
Forks, Coal	28
Forks, Coal Scoop	28
Forks, Coke	28
Forks, Cotton Seed	27
Forks, Ensilage	26
Forks, Heavy Mill	26
Forks, Stone and Ballast	27
Forks, Vegetable	26
Mortar Hoes	25
Road Rakes	25
Stone Hooks	28
Weed Cutters	25



O. AMES CO.

DIVISION OF McDONOUGH CO.

PARKERSBURG, WEST VIRGINIA